



EIC Global Solutions

11690 Teasley Place, Suite 101, Alpharetta, Georgia 30004
Tel. 770-772-7100 FAX 770-772-0555
www.eicusa.com

Request for Quotation
NAPL RECOVERY NET™ SYSTEM

Purchase

Lease

Today's Date: _____ (mm/dd/yyyy) Form Completed By: _____

Date Quote Needed: _____ Date NET™ System Needed: _____

Owner and/or Site ID: _____

Site Address: _____

Contact Information:

Name and Title _____

Company _____

Address _____

City _____ State _____ Zip _____ Country _____

Phone #: _____ Ext: _____ Fax #: _____ Cell Phone: _____

E-mail address: _____

Proposed Use for NET™ System:

- Recovery/Monitor Well or Sump
(Complete General Site Specifications and Attachment A)
- Surface Water (Complete General Site Specifications and Attachment B)
- Oil/Water Separator (See Attachment C)
- Tank (See Attachment D)
- Other (Please specify) _____

Site Type:

- Terminal
- Service Station
- Refinery
- Pipeline
- Other _____

Application Type:

- L-NAPL
- D-NAPL (See Attachment E)
- Oil Production (See Attachment F)

Client Type:

- Petrochemical
- Industrial
- Government
- Other _____

continues on next page



Generic Site Specifications *(see also Site Specific Application attachments)*

Any obstructions or clearance limitations less than 10 feet from NET™ location?

- Yes
- No

AC power available at NET™ system location?

- Yes
- No

Power type:

- 120 VAC
- 240 VAC

If solar power is required, distance of NET™ system location from full sun: _____

Is high-level shutoff switch needed to shut down NET™ system when drum/ tank is full?

- Yes
- No

Proposed NET™ location in a:

- Hazardous area (requiring explosion-proof motor and wiring) **OR**
- Non-hazardous area where standard wiring is appropriate?

Do contents of holding drum/tank at NET™ location need to be pumped to remote tank?

- Yes
- No

If pumping is necessary, what is the run distance between the proposed NET™ location and the receiving tank? _____

What is the discharge height (above grade) and capacity (in gallons) of the receiving tank? _____

What type of collection drum, if any, is needed?:

- Hopper Tank with Secondary Containment, UL rated, Vented, Fuel Tank , with Fuel Gauge
- Stainless Steel 55-gallon Drum with three 2-inch bung holes
- Steel 55-gallon collection Drum with three 2-inch bung holes
- Standard Steel 55-gallon Collection Drum with 2-inch and ¾-inch Bung Holes
- Other Tank _____



Attachment C: Oil/Water Separator Application

Location of Oil/Water (O/W) Separator:

- Parking Lot/Driveway
- Unpaved Area
- Inside Building

O/W Separator:

- Above Grade
- Below Grade

Vehicular Traffic at O/W Separator Location:

- High
- Low

Type of O/W Separator: _____

Type of Product: _____

Thickness of Product: _____

Flow Rate of Product and Water Flowing Through O/W Separator: _____

Depth to Product from Top of O/W Separator: _____

Depth to Water from Top of O/W Separator: _____

Depth to Bottom of Vault/Tank from Top of O/W Separator: _____

Please provide Drawing(s) including O/W Separator Specifications and Site Features/Facilities